

TENDER NOTICE

SHRI VASANTRAO NAIK GOVT. MEDICAL COLLEGE, & HOSPITAL, YAVATMAL

In accordance with G R No.SPO-2014/C N 82)/Part III/Industry - 4 dated 30.10.2015 issued by Government of Maharashtra, Dean Shri Vasantryao Naik Govt. Medical College, & Hospital, Yavatmal invites sealed separate tenders in Two Envelope System for procurement of **Items Mentioned below** for the year 2016 – 2017. Order can be distributed as per provision mentioned in the point no 5.13 of the above mentioned GR. Exemption will be given as per point No 6.8 of the GR for Tender form price and EMD.

TENDER IS RESERVED ONLY FOR MICRO & SMALL SCALE INDUSTRIES

(This tender form along with its Annexure will have to be written/type in entire duly filled and attested per page as per instructions)

Scheduled to tender No.:-	GMCY/YTL/STORES/TENDER NOTICE/Fur/ 16238 /16 Dated 19 /12/2016
Period for download blank tender form from website www.vngmcytl.org	From Dt 21/12 /2016 to Dt. 02 /01/2017
Last date of submission of tender	On Dt. 03 /01/2017 upto 12.00 noon
Date of opening of envelope No. 1	On Dt. 03/01/2017 at 12.30 PM

Envelope No. 1 (Technical Bid) of the tender will be opened at College Council Hall, on 03 /01/2017 at 12.30 noon in the presence of tenderer or their authorized representatives who remain present with the authority letter

Tender Sr. No	Name of the Item	Quan Requ
01	Hospital Beds (ICCU Bed, Fowler Bed, etc)	
02	Other Hospital Furniture	
03	Classroom furniture	
04	Office furniturer	

INSTRUCTIONS TO TENDERERS

The Tenders shall be submitted on or before due date in two envelope system in the Office of the Dean, Shri Vasantryao Naik Govt. Medical College, Yavatmal

The Tender form will be available online only. No tender form will be sold/issued manually from Dean Shri Vasantryao Naik Govt. Medical College, Yavatmal

The tender form price should be submit in the form of Postal Order/DD alongwith the tender in the Technical bid in favour of Dean, Shri Vasantnao Naik Govt. Medical College, Yavatmal.

Tenderer have to submit separate tenders for each item alongwith all required encloser. The tenderer should mention clearly Tender Sr. No, Name of the Item, & There Name & full adress alongwith email id & Contact No on the main envelope

TECHNICAL BID (Part - I)

Technical bid shall contain following documents duly certified by Notary/Gazetted Officer.

1	Proforma To be submitted along-with Technical Bid as mentioned in (Annex- I) . Any conditional offer of the tenderer will be rejected
2	Earnest Money deposit (EMD):- Exemted Tender is reserved only for Micro & Small Scale Industries. 1) Micro & Small Scale Units registered with Director of industries Maharashtra State only for items manufactured by them. 2) N.S.I.C. . The attested photo copies of the registration should be attached with the tender.
3	Product Catalogue:- Original Catalogues / brochures showing details of <u>Technical Specifications of Furniture should be enclosed.</u> All specification should be substantiated by data sheets in original.
4	Copy of Value Added Tax (VAT)/TIN Registration Certificate.
5	Sales Tax / VAT Clearance Certificate:- Attested copy of Sales Tax / VAT clearance Certificate clearance up to 31st December, 2015 or wherever applicable sales tax exemption certificate from sales tax authority. Challan copy will not be accepted.
6	SSI, NSIC Certificate :- Attested photocopy of the Certificate should be submitte with the tender.
12	Terms & Condition Acceptance Certificate should be submitted as per (Annexure - II) .
13	Proforma of Commercial bid (without Price) should be submitted in Envelope No. 01 (Tech. Bid) as per Annexure VIII
14	Original Tender Form:- Tenderer's are required to sign and put official seal of the company on every page of the tender form. They are also required to sign on every page of the specification copy and affix the seal of the company at the right hand corner of the bottom of the page. Authentication for Documents :- The responsibility to produce correct authentication for documents rests with the tenderer. If any documents is detected to be forged, bogus etc., the tender shall be rejected and EMD shall be forfeited. Any contract entered under such condition shall also be liable to be cancelled at any time during its currency and further penal action like criminal prosecution, blacklisting etc against the said contractor and / or the parteners shall be instituted.
If ANY OF THE ABOVE DOCUMENTS / INFORMATION AS ENLISTED FROM No.1 TO No.14 IS NOT ATTACHED WITH THE TENDER, THE TENDER IS LIABLE TO BE TREATED AS INVALID.	

However if any discrepancy is found in the administrative documents, which have no effects on the cost in price packet Envelope, the tenderer shall have to clarify / comply within the stipulated time, their tender will be treated as Invalid..

Commercial -Bid (Part -II)

The Commercial Bid (Part-II) Should contain the price. The cost should be quoted in Indian currency only. Tenderer should quote the price proroma mentioned in **Annexure -III**.

All financial offers must be prepared and submitted in COMMERCIAL BID (PART II). Date of opening of commercial bid will be informed accordingly. Commercial quote in any other format shall be rejected. Conditional offers shall not be considered and shall be treated as non-responsive.

OTHER TERMS & CONDITIONS CONCERNING THE TENDER

1	No. price should be quoted in part I (Technical Bid). If any price is quoted in technical bid, the entire tender will be tender as INVALID
2	Envelope No.2 will be opened only when the documents as mentioned in Envelope No.1 are in order, as per requirements and as per specifications. Valid tenderer will be informed accordingly.
3	<p>i) The Envelop No. 2 (Commercial Bid) will be opened of only those tenderers who have submitted all the documents as per tender terms and conditions in the envelop no. 01 and are technically qualified. Dean Shri V N Govt Medical College Yavatmal reserved the rights to call sample of the furniture who had quoted lowest price. If two tenderers had quoted same cost of furniture , then sample from the both tederer can be call.</p> <p>ii) If the sample found Unsatisfactory tender (Price) will disqualify for the same Item .</p> <p>iii) In exceptional cases the technical committee will have the power to waive the inspection.</p>
5	The tender should be kept open for acceptance for a minimum period of 180 days from the date of opening of the Envelope No. 1 (Technical Bid).
6	There will not be any price negotiations after opening of Envelop No.2.
8	The delivery of goods should invariably be made within 6 weeks from the date of confirm order. If the date of delivery cannot be strictly adhered to, then extension required by the tenderer should be stated in the bid. The primary responsibility for supply of goods in time will be rest with the supplier.
9	Penalty on late delivery :- In the event of the late delivery of goods, the purchaser will recover from contractor by way penalty as per the norms mentioned in the GR of Dt 30 October 2015 on page no 90
12	Payment : 100% Payment will be made within 30 days from the date of supply and submission of the Invoice.

15	<p><u>Complaint/s :-</u> Any complaint / representation regarding tender will be entertained only after depositing of Rs. 5,000/- in form of Demand Draft in the name of Dean, Shri Vasantao Naik Govt. Medical College, Yavatmal. Subsequently necessary action will be taken by the Dean and decision of Dean will be binding upon the complainant. If the complaint turns out to be false or invalid the amount will be forfeited. The Amount shall be refunded if after scrutiny the complaint is found to be true. No further complaint/ representation from the same complainant for the same tender will be entertained.</p>
16	<p><u>Jurisdiction of the Courts :-</u> In case of any claim, dispute or differences arising in respect of tender, the cause of action shall be deemed to have arisen in Yavatmal and all legal proceedings in respect of any such claim, dispute or difference shall be instituted in a Competent Court in the city of Yavatmal</p>

THE DECISION OF THE DEAN, SHRI VASANTRAO NAIK GOVT. MEDICAL COLLEGE, YAVATMAL WILL BE FINAL AND BINDING. THE DEAN, SHRI VASANTRAO NAIK GOVT. MEDICAL COLLEGE, YAVATMAL RESERVES THE RIGHTS TO REJECT ANY OR ALL TENDERS WITHOUT ASSIGNING ANY REASON.

I have read all the terms and conditions of the tender carefully and I agree to abide by them.

Signature of Tenderer with Seal

List of Annexure

Annexure No.		Description
Annex No. I	:	Proforma to be submitted along-with Technical Bid
Annex No. II	:	Terms & Condition Acceptance Certificate
Annexure III	:	Proforma of Commercial Bid
Annex No. IV	:	Technical Specification.

Annexure - I

(on Bidders Letterhead)

PROFORMA TO BE SUBMITTED ALONG WITH TECHNICAL BID

1. Name and address of the firm :-
2. Registered Head Office Postal address :-
3. Telephone No. & FAX & **E-Mail** :- :-
4. In case of proprietorship / Partnership firms, names of proprietors / partners/ Directors with address and percentage of share
5. Ownership status of the firm
(Maharashtra Govt. / Central Govt./Jt. Sector /co - operative /SSI /Private)
6. Whether tendering as a manufacturer / Agent/ Distributor
7. **Name & Phone no. who should be contacted by this office in case of any urgent problem.**
8. Location of other manufacturing work/factory/factories owned by the firm (if any).

I / we hereby declare that particulars furnished above are true to the best of my /our knowledge and belief and that if any of the particulars is found to be materially incorrect / misleading, my /our tender shall be rejected and I / we are liable for penal action as per terms specified in the " term and conditions of tender".

Date :-

**Full Signature of the tenderer
with official seal and address**

ANNEXURE II
Technical Compliance Chart

(on Bidders Letterhead)

Equipment Name - _____ Make & Model: _____

Sr No	Tender specifications as asked in the tender form	Equivalent specifications quoted by the tendered with the name of the manufacturer	Whether the tender quoted by the supplier is as per specifications asked for Indicate against each item clearly YES/NO	If the tender quoted is not as per specifications then variations/deviations should be clearly indicated against each item asked for.
1	2	3	4	5

ANNEXURE III
(on Bidders Letterhead)

Terms & Condition Acceptance Certificate

Ref :-

Date :-

To,
The Dean,
Shri Vasantnao Naik Govt. Medical
College & Hospital, Yavatmal

Ref:- Tender Document No _____ Date_____

Respected Sir,

I /We the undersigned have examined the above mentioned Tender Enquiry document, including Amendment / Corrigendum No. _____ Dt _____ (if any), the receipt of which is hereby confirmed.

If our tender is accepted we undertake to supply the goods & perform the services as mentioned in Tender Enquiry Document in accordance with the delivery schedule.

We further understand that you are not bound to accept the lowest or any tender you may receive against your tender enquiry.

We confirm that we fully agree to the terms and conditions specified in above mentioned Tender Enquiry document including Amendment / Corrigendum if any.

Sign and Office seal of the Tenderer

ANNEXURE - IV

Proforma for Price Justification

(on Bidders Letterhead)

Tender No.

Date :-

To,
The Dean,
Shri Vasantnao Naik Govt. Medical
College & Hospital, Yavatmal

Ref:- Tender Document No _____ Date _____
Higher Price / Lower Price Certification

Respected Sir,

I /We _____ hereby certify that the price quoted by us in tender no. _____ are our best price based on tender quantities.

We also wish to disclose that the prices lower than price quoted may be applicable to other Govt. Dept. / Institution or any other institute and such lower prices are solely on account of terms of sales and other condition applicable during Pendency of such contract.

Sign and Office seal of the Tenderer

ANNEXURE - V

Proforma of Commercial Bid

[COMMERCIAL OFFER]

Note:-For price / commercial bids, online forms will be provided during bid preparation stage where bidders should quote the prices as per the bid requirement.

- 1)Tender Ref No. :-
- 2) Due on :-
- 3) Sr No & Name of Equipment :-

Quote price for Single piece. Order will be place as per actual requirement. The mentioned quantity may be change at the time of order

PART -A

Description	Basic Unit Price	VAT / CST (__%)	Octroi (__%)	Any Other Taxes	Total	Quantity	Total Price X — Quantity
	(a)	(b)	(c)	(c)	(a)+(b)+(c)+(d)=(f)	(g)	(f) X (g)

We fully agree to the terms and conditions specified in Tender document, including amendment / corrigendum if any

Full Signature of the tenderer with
official Seal & Address

ANNEXURE - VI
TENDER ITEM NO 1
SHRI VASANTARO NAIK GOVT. MEDICAL COLLEGE, YAVATMAL
NAME OF THE ICCU FURNITURE WITH DETAIL SPECIFICATION

Sr. No	Name of the Item with detail psecification	Qtn Required
1	<p>I C C U BED Size:L78"W33"H24"-32" Top should be made of MS frame with 3 section having MS perforated top panels; with 4 motions viz. H-low, Trendelenburg / Reverse Trendelenburg, backrest & Knee rest operated by screw. Should be supply with SS IV Rod, It should have 5" wheel set with 2 breakable wheels. Patient guard rail should be made of SS with the arrangement of sliding up/down, Should provide Easily removable SS bow. IV rod provision should be at 4 locations, Urine bag hook should be provide at 2 locations</p>	
2	<p>Fowler Bed SS Size:L72"W30"H22" Top frame should be provided with 3 sections; Panels should be SS Sheet top; 2 separate screws should be provided for propped up backrest & knee rest; Provision for fit patient guard rail; It should have easily removable SS bows; Legs should be made of SS tubular with nylon shoes; IV Rod provision should be at 2 locations.</p>	
3	<p>Fowler Bed Size 206 x 91x 61 cm H Bed frame shoud made of C R Rectangular tubes 50 x 25 x 2mm. 4 IV loacations should be provided with lever type knob. Four section Top should be made of Uniformly perforatd 1mm CRCA sheet. Separate Screw operated mechanisms should be provided for 76 cm. In built Back Rest and Leg Rest both adjustable y foldable Handles. Removable Bows should be provided which made of aprox 3.2 cm dia & 1.2 mm thick. Stainles Steel 304 Tube, PVC/Synthetic water proof panel laminated with 0.8 mm Mica on both sides and PVC edge band fitted on 4 no SS brakets welded to SS bows by bolt and cap Nut. U legs should be made of aprox 3.2cm dia 1.2 mm thick CR Tube. Castor Wheels Approx 125 mm dia x 32 mm, 4 Nos, 2 with wheel and swivel brake for total locking of wheels, it should have Rubber tyres. Railling Pair: Full Length (aprox 206 mm) Collapsible Railings with 18.75 dia 1.2 mm thick 304 G SS Hardware & MS Frame Powder Coated. One IV Stand made of full 304 SS. IV bar should be 0.75 with 2 No cured hooks and tapered hook ends with lever type SS 304 Knob with fine threding in order to tight the bar securely</p>	
4	<p>Semi Fowler Bed MS Size:L72"W30"H22" Two section Top Frame, Panels with MS sheet top, screws for backrest & leg rest, Provision to fit patient guard rail, Easily removable SS bows, Tubular SS legs with nylon shoes, IV Rod provision at 2 locations.</p>	
5	<p>Plain Hospital Bed Size:L72"W30"H22" Epoxy powder coated unisection frame with MS sheet top, Easily removable SS bows, SS Tubular legs with nylon shoes, IV rod provision at 2 locations; Urine bag hook on either sides, with crib attachment</p>	

Dean
Shri V N Govt Medical College &
Hospital, Yavatmal

TENDER ITEM NO 2
SHRI VASANTARO NAIK GOVT. MEDICAL COLLEGE, YAVATMAL
NAME OF THE ICCU FURNITURE WITH DETAIL SPECIFICATION

Sr. No	Name of the Item with detail psecification	Qtn Required
6	Stretcher Trolley Size : L82" W22"H33" Frame should be made from MS powder coated Tubular mounted on 8" dia Heavy Castors. It should have detachable heavy stainless steel sheet Stretcher Top	
7	Over Bed Trolley SS Size : L42" W17"H40" SS polished tubular frame with a Marine shutter top; 2" Nylon castors	
8	Instrument Trolley Size : L30" W22"H35" Fully heavy guage SS Tubular frame with two shelves having rail on 3 sides, Should be mounted on 4" dia rubber castors;	
9	Wheel Chair Compact Size : L29" W33"H19" seat SS Tubular frame with backelite sheet top Detachable Polyurarhene Armrests , Leg rests should be independently adjustable to any angle, Rear wheels should be of 16" with solid tyre; Front rubber castors should be 8" , Backrest should be emovable	
10	Bed Side Locker Size:L17"W12"H32" Should be made from SS pressed sheet Box with a door having provision for locking Plain panel at top, Whole unit should be mounted on SS 4 legs with nylon shoes	
11	Square Stool SS Size : L14" W14"H18" Frame and Top should be made from SS	
12	IV Bar for Bed Should be made from full SS with 2-way hook of adjustable height	

Dean
Shri V N Govt Medical College &
Hospital, Yavatmal

TENDER ITEM NO 3
SHRI VASANTARO NAIK GOVT. MEDICAL COLLEGE, YAVATMAL
NAME OF THE CLASSROOM FURNITURE WITH DETAIL SPECIFICATION

Sr. No	Name of the Item with detail psecification	Aprox Qtn Required
1	SINGLE SEATER DESK BENCH (Exam Table) Should be made from heavy guage MS tubular pipe, marine ply top size: 30" X 18" and seat should be made from marine ply size 13' x 28". Height of the desk bench should be of standard size. Marine ply should be of 18 mm thick	250
2	DOUBLE SEATER DESK BENCH (For class room) Should be made from heavy guage MS tubular pipe, marine ply top size: 42" X 18" and seat should be made from marine ply size 13' x 39". Height of the desk bench should be of standard size. Marine ply should be of 18 mm thick	250
3	TRIPLE SEATER DESK BENCH (For class room) Should be made from heavy guage MS tubular pipe, marine ply top size: 54" X 18" and seat should be made from marine ply size 13' x 52". Height of the desk bench should be of standard size. Marine ply should be of 18 mm thick	250

Dean
 Shri V N Govt Medical College &
 Hospital, Yavatmal

TENDER ITEM NO 4
SHRI VASANTARO NAIK GOVT. MEDICAL COLLEGE, YAVATMAL
NAME OF THE OFFICE FURNITURE WITH DETAIL SPECIFICATION

Sr. No	Name of the Item with detail psecification	Aprox Qtn Required
1	Office Cupboard Steel. Size 4 X 2.5 X 1.5 feet Should be made from 18 gauge thick MS sheet with oven backed color. With the locking provision	
2	Office Cupboard Steel. 6 X 3 X 1.5 feet Should be made from 18 gauge thick MS sheet with oven backed color With the locking provision	
3	Studend Lockers Size 6.5 X 3 X 2 feet (8 Lockers) Should be made from MS powder coated pressed sheet Box with a door with Locking Provision	
4	Studend Lockers Size 6.5 X 3 X 2 feet (12 Lockers) Should be made from MS powder coated pressed sheet Box with a door with Locking Provision	
5	Studend Lockers Size 6.5 X 3 X 2 feet (6 Lockers) Should be made from MS powder coated pressed sheet Box with a door with Locking Provision	
6	Office Writing table Size 4 X 2 X 2.75 feet Should be made from heavy guage Steel tubular frame with particle board top, single drawer should be provided on the right side of the table.	
7	Office Writing table Size 4 X 2 X 2.75 feet Should be made from heavy guage Steel tubular frame with particle board top, Locker and drawer should be provided on the right side of the table.	
8	Office Writing table Size 5 X 2 X 2.75 feet Should be made from heavy guage Steel tubular frame with particle board top, Locker and drawer should be provided on the both side of the table.	
9	Metal Shelving Rack Open type Size 6 X 3 X 1.4 feet (6 Shelve) Should be made from minimum 3mm thick MS angel & 1.2 mm MS sheet top	
10	Metal Shelving Rack Open type Size 7 X 3 X 1.4 feet (7 Shelve) Should be made from minimum 3mm thick MS angel & 1.2 mm MS sheet top	

Dean
Shri V N Govt Medical College &
Hospital, Yavatmal